Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A cellular phone eapable of attaching an attachment thereto, comprising:

a first casing that includes a display unit provided on one surface thereof;

a second casing that is pivotable with respect to the first casing, the second casing including a plurality of key pads;

a pivot that enables the first and second casings to be placed in a closed position and in a plurality of open positions to thereby provide for a folding type cellular phone; and

an attachment that has a substantially similar shape as the first casing and that is configured to fit over the first casing to thereby envelop the first casing.

a signal detection unit for detecting a signal intrinsic to the attached attachment; and a control unit for controlling at least one of a change of setting conditions and an addition of functions of the cellular phone based on the signal.

2. (Currently Amended) The cellular phone according to claim 1, wherein a type of the attached attachment is identified by the signal includes an opening on one surface thereof, for allowing the display unit of the first casing to be viewed from an exterior position when the attachment is fitted over the first casing, and wherein the opening of the attachment has a same size as the display unit.

3. (Currently Amended) The cellular phone according to claim 1, further comprising:

a terminal that transmits/receives a signal to/from the attached attachment; and
a power supply terminal that supplies electric power to the attachment wherein an
entirety of the first casing is fitted over by the attachment.

- 4. 8. (Canceled).
- 9. (Currently Amended) The cellular phone according to claim [[5]] 1, further comprising a control unit,

wherein a part of the display unit includes a function of a touch panel, and wherein the control unit controls the touch panel.

- 10. (Canceled).
- 11. (Currently Amended) The cellular phone according to claim 1,

wherein the <u>a</u> front surface <u>and a back surface</u> of the <u>eellular phone</u> <u>first casing</u> includes at least one of a recess portion and a protruding portion for attaching the attachment <u>securely to the first casing when the attachment is fitted over the first casing.</u>

- 12. (Canceled).
- 13. (Currently Amended) The cellular phone according to claim [[1]] 9, wherein the control unit recognizes attachment of the attachment and a type thereof, and executes a control operation after confirming a predetermined entry.
- 14. (Currently Amended) The cellular phone according to claim [[1]] 9, wherein, when the attachment is detached, the control unit returns the setting conditions for the cellular phone to original ones.
- 15. (Currently Amended) An attachment attached to a cellular phone that includes a first casing and a second casing and a pivot mechanism provided between the first and second casings to allow the first and second casings to pivot with respect to each other, the attachment comprising:
- a housing shaped the same as the first casing of the cellular phone, wherein the housing includes:
- a first exterior surface having an opening provided thereon for enabling a display unit located on the first casing of the cellular phone to be viewed when the attachment is attached to the cellular phone; and

a second exterior surface positioned opposite to the first exterior surface,

wherein an opening is provided between the first and second exterior surfaces of the attachment to thereby allow the attachment to be fitted over the first casing of the cellular phone.

a signal output unit which outputs a specific signal corresponding to a type of the attachment; and

an output terminal that outputs the signal to the cellular phone.

- 16. (Original) The attachment according to claim 15, further comprising a function unit which performs a predetermined function.
- 17. (Original) The attachment according to claim 16,
 wherein the function unit is at least one of a camera, a speaker, a display unit, and a
 touch panel.
- 18. (Original) The attachment according to claim 16, further comprising a control unit that controls the function unit.
- 19. (Currently Amended) The attachment according to claim 15, further comprising an opening portion of wherein the opening of the attachment has a predetermined shape that is a same as a shape of the display unit provided on the first casing,

wherein the attachment is arranged on at lease one of a display unit arrangement surface and an operation unit arrangement surface of the cellular phone.

- 20. (Original) The attachment according to claim 15, wherein the attachment is arranged on a backside of the cellular phone.
- 21. (Original) The attachment according to claim 20, further comprising a transparent portion of a predetermined shape.
 - 22. (Original) The attachment according to claim 21, wherein the transparent portion is an opening portion.
 - 23. (Original) The attachment according to claim 21, wherein a transparent plate is formed in the transparent portion.

- 24. (Currently Amended) The attachment according to claim 21, wherein the transparent portion is located at a position corresponding to [[a]] the display unit on a back of the cellular phone.
 - 25. (Original) The attachment according to claim 24, wherein the transparent portion corresponds to a part of the display unit.
- 26. (Currently Amended) The attachment according to claim 15, <u>further</u> comprising grooves provided on an interior surface of the attachment,

wherein the attachment is engaged onto the cellular phone by coupling of the grooves of the attachment to recesses provided on an exterior surface of the first casing of the cellular phone.

- 27. (Original) The attachment according to claim 15, wherein the attachment is fastened to the cellular phone by means of a screw.
- 28. (Currently Amended) The attachment according to claim 15, <u>further</u> comprising recesses provided on an interior surface of the attachment,

wherein each of the attachment and the cellular phone includes any or both of a protruding portion and a recess portion, and

the attachment is attached to the cellular phone by inserting the protruding portion into the recess portion coupling of the recesses of the attachment to grooves provided on an exterior surface of the first casing of the cellular phone.

- 29. (Original) The attachment according to claim 15, further comprising a terminal which receives a supply of electric power from the cellular phone.
 - 30. (Original) The attachment according to claim 15, wherein the cellular phone is of a folding type.
 - 31. (Currently Amended) The attachment according to claim 15,

wherein the second casing of specific signal is changeable such that a desired setting condition is set in the cellular phone includes a plurality of keypads provided thereon, and wherein the display unit provided on the first casing of the cellular phone is a touch screen.

32. (Currently Amended) A cellular phone to which a detachable attachment is attached,

wherein the attachment includes <u>has</u> a signal output unit which outputs a specific signal corresponding to a type thereof, and an output terminal which outputs the signal to the cellular phone case-like shape with a first exterior surface, a second exterior surface opposite the first exterior surface, first and second sidewalls, and an opening provided within the case-like shape, and

the cellular phone includes a signal detection unit which detects the specific signal outputted by the attachment, and a control unit which controls a change for setting conditions of the cellular phone based on the signal comprises:

a first casing having a substantially same width and height as the attachment; a second casing pivotably attached to the first casing,

wherein the attachment is fitted over the first casing to thereby attach the attachment to the cellular phone.

33. (Currently Amended) The cellular phone according to claim 32, <u>further</u> comprising a control unit,

wherein the attachment includes a function unit which perform performs a predetermined function, and

the control unit controls at least one of the \underline{a} change for the \underline{a} setting conditions and an addition of functions of the cellular phone.

- 34. (New) The cellular phone according to claim 15, wherein the opening provided between the first and second exterior surfaces of the attachment has a width that is slightly greater than a width of the first casing of the cellular phone, and wherein the opening has a length that is slightly greater than a length of the first casing of the cellular phone.
 - 35. (New) The cellular phone according to claim 32,

wherein the first casing of the cellular phone includes a display unit of a predetermined shape, and

wherein the attachment includes an opening provided on the first external surface thereof, the opening having the predetermined shape to enable the display unit to be viewed externally when the attachment is fitted onto the first casing. 36. (New) The cellular phone according to claim 32, wherein the second exterior surface extends in a direction orthogonal to the first and second sidewalls with a gap provided for a portion of the second exterior surface.